

**BL**  **TZ**<sup>TM</sup>  
**OIL**

**SUPER GARD  
SYNTHETIC BLEND  
MOTOR OIL & GEARBOX OIL**



## ABOUT US

Further, in our production process, we prioritize and reinforce the importance of stringent In-Process Quality Control (IPQC), striving to achieve zero rejection rates. We strive to ensure we provide excellent customer services of quality products, and to reduce our costs to maintain competitive prices for our customers. In addition, it is important that we develop strong partnerships and grow together with our vendors. In Blitz Oil, we believe that only healthy staffs build a progressive and dynamic company, and this is the reason why we are investing our efforts and resources in Health, Safety & Security & Environment, to ensure we are fulfilling our CSR obligation. Blitz Oil GmbH Mission: To make available value for money lubricants of high quality and high specifications to all end users.

„QUALITY IS OUR TOP OF MIND PRIORITY“. We strive to ensure we provide excellent customer services of quality products, and to reduce our costs to maintain competitive prices for our customers. In addition, it is important that we develop strong partnerships and grow together with our vendors. In Blitz Oil, we believe that only healthy staffs build a progressive and dynamic company, and this is the reason why we are investing our efforts and resources in Health, Safety & Security & Environment, to ensure we are fulfilling our CSR obligation. Blitz Oil GmbH Mission: To make available value for money lubricants of high quality and high specifications to all end users.

*William Danisbrown*

## CAREER WITH US

Blitz Oil harmony working environment.

In Blitz Oil, you will work with like-minded people who share your attitudes and enthusiasm. We celebrate our successes and endeavor to create a fun working environment. We are offering career to talent who share our values and goals. We want to ensure that your career with us would exude your talents and ambitions. You will work in an environment with plenty of opportunities to develop -as an individual and as a professional.

We believe that employees' performance can only be flourished in a sound work environment. That is why Blitz Oil is committed to support its leadership culture through systems and policies that foster open-communication, maintain employee and partner policy, and assure employee's health and safety.



## 5HP

Blitz Oil ATF 5HP is produced by Blitz Oil as a kind of special oil for 5HP series automatic gearboxes. With efficient additive and extremely high oxidation resistance, it helps to prolong service life of the gearbox and gives automobile comfortable gear shifting, reduce the friction, and achieve fuel saving, a longer period of replacing, environmental protection and lower costs.

**Applicable models:** Volkswagen G 052162/BMW 8322 9407807/  
Jaguar JLM 20238 Porsche/999.917.547.00

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Yellow



## 6HP

Blitz Oil ATF 6HP is developed by Blitz Oil as a kind of special oil for 6HP series automatic gearboxes. Blitz Oil ATF 6HP increases wear resistance and corrosion resistance, it helps to prolong service life of the gearbox and gives automobile comfortable gear shifting, reduce the friction, and achieve fuel saving, a longer period of replacing, environmental protection and lower costs.

**Applicable models:** Volkswagen G 055005/BMW 83220142516/Land Rover TYK500050/  
Maserati 231609

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Yellow



## 8HP

Blitz Oil ATF 8HP is produced by Blitz Oil as a kind of special oil for 8HP series automatic gearboxes. Blitz Oil ATF 8HP increases wear resistance and corrosion resistance, it helps to prolong service life of the gearbox and gives automobile comfortable gear shifting, reduce the friction, and achieve fuel saving, a longer period of replacing, environmental protection and lower costs.

**Applicable models:** Volkswagen G 060162/BMW 83222152426/Land Rover LR023288

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Green




## AM7

Blitz Oil ATF AM7 is produced by Blitz Oil as a kind of special oil for Mercedes-Benz (5-7) automatic gearboxes. With efficient additive and extremely high oxidation resistance, it helps to prolong service life of the gearbox and gives automobile comfortable gear shifting, reduce the friction, and achieve fuel saving, a longer period of replacing, environmental protection and lower costs.

**Applicable models:** Mercedes-Benz 236.1

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Red





## AV8

Blitz Oil ATF AV8 is produced by Blitz Oil as a kind of special oil for German Quality Volkswagen 8-speed automatic gearbox (0C8), recommended for Volkswagen Touareg, Q7, Porsche Cayenne. The excellent lubricating quality keep the gearboxes work quietly. Low viscosity matches the working requirements and the pledge its fuel economy. With high oxidation resistance and hear stability, the oil is more durable.

Applicable models: Volkswagen G 055 540 A2

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Red



## AG6

Blitz Oil ATF AG6 is produced by Blitz Oil as a kind of special oil for Bulk, Chevrolet, and Cadillac 6HP series automatic gearboxes, recommended for 6HP and lower automatic gearboxes. The excellent lubricating quality keep the gearboxes work quietly. Low viscosity matches the working requirements and the pledge its fuel economy. With high oxidation resistance and hear stability, the oil is more durable.

Applicable models: GM 93735412

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Red



## AV8

Blitz Oil ATF AV8 is produced by Blitz Oil as a kind of special oil for German Quality Volkswagen 8-speed automatic gearbox (0C8), recommended for Volkswagen Touareg, Q7, Porsche Cayenne. The excellent lubricating quality keep the gearboxes work quietly. Low viscosity matches the working requirements and the pledge its fuel economy. With high oxidation resistance and hear stability, the oil is more durable.

Applicable models: Volkswagen G 055 540 A2

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Red



## AG6

Blitz Oil ATF AG6 is produced by Blitz Oil as a kind of special oil for Bulk, Chevrolet, and Cadillac 6HP series automatic gearboxes, recommended for 6HP and lower automatic gearboxes. The excellent lubricating quality keep the gearboxes work quietly. Low viscosity matches the working requirements and the pledge its fuel economy. With high oxidation resistance and hear stability, the oil is more durable.

Applicable models: GM 93735412

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Red

DON'T JUST TAKE OUR WORD FOR IT.  
BLITZ OIL IS THE SCIENCE BEHIND BETTER PERFORMANCE.



## JK6

Blitz Oil ATF JK6 is produced by Blitz Oil as a kind of special oil for automatic transmission in Japan and South Korea, recommended for Japanese and Korean 6HP and under transmissions. Blitz Oil ATF JK6 increases wear resistance and makes it permanent and reliable. It has high thermal stability and resistance to oxidation which avoids the oil of aging and keeps the gearbox clean.

Applicable models: Ford WSSM2C938AA/XT10QLVC

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Red



## AF6

Blitz Oil ATF AF6 is produced by Blitz Oil as a kind of special oil for Ford 6HP series automatic gearboxes, recommended for Ford 6HP and lower automatic gearboxes. Blitz Oil ATF AF6 increases wear resistance and makes permanent and reliable. It has high thermal stability and resistance to oxidation which avoids the oil of aging and keeps the gearbox clean.

Applicable models: Ford WSSM2C938AA/XT10QLVC

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Red



## DV6

Blitz Oil ATF DV6 is produced by Blitz Oil as a kind of special oil for Volkswagen 6DSG:DQ250 Transmission. Based on the easy-heating characteristic of the Dual Clutch Transmission, Blitz Oil ATF DV6 optimizes its high temperature viscosity performance. And its outstanding abrasion resistance ensures that even under long and intense driving mode, it can keep stable friction.

Applicable models: Volkswagen G 052 182A2

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Yellow



## DW7

Blitz Oil ATF DW7 is a special oil developed by Blitz Oil for Cars with 7-speed manual and 7-speed automatic or dual-clutch transmissions. It optimizes the viscosity characteristics of high temperature areas for dual clutch and heat generation, and offers an outstanding anti-wear performance and stability even in long-term and intense driving mode. Superior and stable oil film, superior durability and lubricity at all time ensuring a smooth operation of the transmission and smooth shifting operation, protecting your engine and increasing the lifetime of your vehicle.

Applicable models: Audi TL 052 529 (G052 529 A2)/Volvo 1161838/1161839/  
Porsche 999.917.880.00

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Yellow





## DV7

Blitz Oil ATF DV7 is produced by Blitz Oil as a kind of special oil for Volkswagen Dual Clutch Transmission DQ200 series automatic gearboxes. Based on the high temperature region viscosity of the Dual Clutch Transmission, Blitz Oil ATF DV7 has outstanding abrasion resistance to keep the stable fluid-film in long and intense driving mode. With excellent anti-vibration durability and lubricity, It also ensures that the transmission works quietly and gears shifts fluently.

Applicable models: Volkswagen G052 512 A2

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Yellow



## CVT

Blitz Oil ATF CVT is produced by Blitz Oil as a kind of special oil for European CVT gearboxes, recommended for Audi, Mercedes-Benzes, BMW and other cars equipped with CVT. In the case of heavy-duty situation, it can keep the stable fluid-film and excellent oxidation for better protection of transmission.

Applicable models: Volkswagen G 052 180 A2/BMW 83220136376/  
Mercedes-Benzes MB236.20

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Yellow



## VN2

Blitz Oil ATF VN2 is a line of lubricant developed for Cars equipped with a continuously variable transmission.It has a high wear protection and excellent heat dissipation and oxidation resistance & stability, in the case of heavy pressure, it can maintain a stable oil film, better viscosity and therefore always reliable and guarantee a smooth operation of the automatic transmission and a smooth running of the engine.

Applicable models: Nissan HXLVT40001

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Green



## DIIIH

Blitz Oil DIIIH is produced by Blitz Oil as a kind of special oil for Dexron IIH&IIIH/Mercon/Mercom V automatic gearboxes. Blitz Oil DIIIH has good high temperature stability, It can prevent the oil oxidation and deposit effectively. It can keep the transmission clean, reduce wear and prolong the service life of the parts.

Applicable models: Dexron IIH&IIIH/Mercon/Mercom V

Oil change interval: 2 years or 40,000 kilometers

Liquid color:Yellow



### SAE 0W-40

Capacity	Unit	Pallet	ACEA	API
1L	12	1248	A3/B4	SN/CF
4L	4	288		

Type Applicable models

Fully synthetic motor oil BMW Mercedes Porsche PSA Fiat



### SAE 5W-30

Capacity	Unit	Pallet	ACEA	API
1L	12	1248	C3/A3/ B4-04	SN/CF
4L	4	288		

Type Applicable models

Fully synthetic motor oil BMW Mercedes Volkswagen



### SAE 0W-20

Capacity	Unit	Pallet	ACEA	API
1L	12	1248	A5/B5	SN/CF
4L	4	288		

Type Applicable models

Fully synthetic motor oil BMW Mercedes Porsche PSA Fiat




### SAE 5W-20

Capacity	Unit	Pallet	ACEA	API
1L	12	1248	A5/ B5-08	SN/CF
4L	4	288		


Type Applicable models

Fully synthetic motor oil BMW Mercedes Volkswagen



# BLITZ OIL


STRATEGIC DIRECTION OF BLITZOIL:  
VISION: TO BE UNDISPUTED NO. 1 TOLL BLENDER IN GERMANY



BLITZ OIL harmony working environment. In BLITZOil, you will work with like-minded people who share your attitudes and enthusiasm. We celebrate our successes and endeavour to create a fun working environment. We are offering career to talent who share our values and goals. We want to ensure that your career with us would exude your talents and ambitions. You will work in an environment with plenty of opportunities to develop -as an individual and as a professional. We believe that employees' performance can only be flourished in a sound work environment. That is why BLITZ OIL is committed to support its leadership culture through systems and policies that foster open-communication, maintain employee and partner policy, and assure employee's health and safety.

## BLITZ OIL – Your One-Stop Lubricant Solution

As One-Stop Lubricant Solution for customers, our services are not only limited to blending and packing of the finished products. We are also providing services including bulk storage tanks, sheltered warehouse for finished products, drum yard for finish goods and supplies storage, and also full set of laboratory testing for lubricant.



	SAE 10W-40	SAE 10W-60
Capacity	1L, 4L	1L
Unit	12, 4	12
Pallet	1248, 288	1248
ACEA	A3/B4	A5/R5
API	SN/CF	/
Type	Semi-synthetic motor oil	/
Applicable models	Mercedes Porsche Volkswagen	Racing oil



### SAE 5W-40

Capacity	Unit	Pallet	ACEA	API
1L	12	1248	A3/B4	SN/CF
4L	4	288		
Type	Fully synthetic motor oil			
Applicable models	BMW Mercedes Volkswagen Renault			







## CONTACT

---

Thurn-und-Taxis-Platz 6 D-60313 Frankfurt

(+49) 069257375250

[info@blitzoil.com](mailto:info@blitzoil.com)

[www.blitzoil.com](http://www.blitzoil.com)

